

Microbial solutions must be deployed against climate catastrophe

The climate crisis is escalating. A multitude of microbe-based solutions have been proposed (Table 1), and these technologies hold great promise and could be deployed along with other climate mitigation strategies. However, these solutions have not been deployed effectively at scale. To reverse this inaction, collaborators across different sectors are needed—from industry, funders and policymakers—to coordinate their widespread deployment with the goal of avoiding climate catastrophe. This collective call from joint scientific societies, institutions, editors and publishers, requests that the global community and governments take immediate and decisive emergency action, while also proposing a clear and effective framework for deploying these solutions at scale.

Microbes and the climate crisis

Microorganisms have a pivotal but often overlooked role in the climate system (Cavicchioli et al. 2019, Tiedje et al. 2022, Jiao et al. 2024)—they drive the biogeochemical cycles of our planet, are responsible for the emission, capture and transformation of greenhouse gases, and control the fate of carbon in terrestrial and aquatic ecosystems. From humans to corals, most organisms rely on a microbiome that assists with nutrient acquisition, defence against pathogens and other functions. Climate change can shift this host–microbiome relationship from beneficial to harmful (Peixoto and Voolstra 2023). For example, ongoing global coral bleaching events, where symbiotic host–microbiome relationships are replaced by dysbiotic (that is, pathogenic) interactions (Fig. 1), and the consequent mass mortality mean the extinction of these ‘rainforests of the sea’ may be witnessed in this lifetime (Knowlton et al. 2021). Specifically, a decline of 70–90% in coral reefs is expected with a global temperature rise of 1.5 °C (Core Writing Team 2023). Although this example highlights how the microbiome is inextricably linked to climate problems, there is a wealth of evidence that microbes and the microbiome have untapped potential as viable climate solutions (Table 1). However, despite the promise of these approaches, they have yet to be embraced or deployed at scale in a safe and coordinated way that integrates the necessary but also feasible risk assessment and ethical considerations (Peixoto et al. 2022).

Mobilizing microbiome solutions to climate change

The multifaceted impacts of climate change on the environment, health and global economy demand a similar, if not more urgent and broad, mobilization of technologies as observed in response to the COVID-19 pandemic (Kokudo and Sugiyama 2020, El-Jardali et al. 2024). To facilitate the use of microbiome-based approaches and drawing from lessons learned during the COVID-19 pandemic (El-Jardali et al. 2024), we advocate for a decentralized yet globally coordinated strategy that cuts through bureaucratic red tape and considers local cultural and societal regulations, culture, expertise and needs. We are ready to work across sectors to deploy microbiome technologies at scale in the field.

We also propose that a global science-based climate task force comprising representatives from scientific societies and institutions should be formed to facilitate the deployment of these microbiome technologies. We volunteer ourselves to spearhead this, but we need your help too. Such a task force would provide stakeholders such as the Intergovernmental Panel on Climate Change (IPCC) committee and United Nations COP conference organizers, and global governments access to rigorous, rapid response solutions. Accompanied by an evidence-based framework, the task force will enable pilot tests to validate and scale up solutions, apply for dedicated funding, facilitate cross-sector collaboration and streamlined regulatory processes while ensuring rigorous safety and risk assessments. The effectiveness of this framework will be evaluated by key performance indicators, assessing the scope and impact of mitigation strategies on carbon reduction, ecosystem restoration and enhancement of resilience in affected communities, aiming to provide a diverse and adaptable response to the urgent climate challenges faced today. We must ensure that science is at the forefront of the global response to the climate crisis.

We encourage all relevant initiatives, governments and stakeholders to reach out to us at climate@isme-microbes.org. We are ready and willing to use our expertise, data, time and support for immediate action.

Received 27 June 2024; revised 22 September 2024

This article has been co-published with permission in Sustainable Microbiology, The ISME Journal, FEMS Microbiology Ecology, Nature Microbiology, Nature Reviews Microbiology, Nature Reviews Earth and Environment, Nature Communications, Communications Biology, Communications Earth and Environment, npj Biodiversity, npj Biofilms and Microbiomes, npj Climate Action, and npj Sustainable Agriculture. All rights reserved. © The Author(s) 2024. Published by Oxford University Press on behalf of FEMS.

Table 1. Examples of microbial strategies that can be developed and/or deployed at scale to tackle climate change (Cavicchioli et al. 2019, Tiedje et al. 2022, Jiao et al. 2024, Xue et al. 2015).

| Strategy | Mechanism of action | Benefits | Application |
|----------------------|--|---|--|
| Carbon sequestration | Microbial enhancement of carbon sequestration in soils and oceans | Reduces atmospheric CO ₂ and enhances soil productivity | Agricultural and forestry sustainability and marine biosequestration |
| Methane oxidation | Use of methanotrophic bacteria to oxidize methane into less harmful compounds | Lowers methane emissions and can promote atmospheric removal; mitigates a potent greenhouse gas | Landfills; livestock management; inland freshwater bodies; wetlands |
| Bioenergy production | Cultivation of algae and other microbes for biofuel production | Provides renewable energy; reduces reliance on fossil fuels | Biofuel production; industrial applications |
| Bioremediation | Microbial breakdown of pollutants and hazardous substances | Improves environmental health; reduces toxin exposure | Industrial waste management; contaminated land and sediment restoration |
| Microbial therapies | Targeted microbiome management using microbial therapies (for example, probiotics, postbiotics, prebiotics); can mitigate harmful microbiomes and consequent environmental degradation; restoring beneficial microbiomes across hosts and ecosystems | Improves organismal and environmental health and can be applied to sustainable practices, which, in turn, minimizes greenhouse gas emissions | Wildlife and ecosystem restoration and rehabilitation; sustainable agriculture; human health |
| Nitrogen management | Engineering crops with symbiotic bacteria to fix atmospheric nitrogen or crops that produce biological nitrification inhibitors | Enhances soil fertility; reduces fertilizer use; increases plant nitrogen use efficiency; decreases eutrophication and greenhouse gas emissions | Sustainable agriculture; crop production |




Figure 1. Corals and climate change. A–D, Examples of the same healthy (A, B), bleached (C) and dead (D) corals before (A, B) and after (C, D) being affected by heatwaves caused by climate change. Photos by Morgan Bennett-Smith.

Acknowledgements

We thank Morgan Bennett-Smith for support with the figure. This article has been co-published with permission in *Sustainable Microbiology*, *The ISME Journal*, *mSystems*, *FEMS Microbiology Ecology*, *Nature Microbiology*, *Nature Reviews Microbiology*, *Nature Reviews Earth and Environment*, *Nature Communications*, *Communications Biology*, *Communications Earth and Environment*, *npj Biodiversity*, *npj Biofilms and Microbiomes*, *npj Climate Action* and *npj Sustainable Agriculture*. All rights reserved. © The Authors, 2024. The articles are identical except for minor stylistic and spelling differences in keeping with each journal's style. Any citation can be used when citing this article.

Competing interests: J.A.G. is a Scientific Advisory Board Member for Oath Inc. The other authors declare no competing interests.

References

- Cavicchioli R, Ripple WJ, Timmis KN et al. Scientists' warning to humanity: microorganisms and climate change. *Nat Rev Micro* 2019;**17**:569–86.
- El-Jardali F, Fadlallah R, Daher N. Multi-sectoral collaborations in selected countries of the Eastern Mediterranean region: assessment, enablers and missed opportunities from the COVID-19 pandemic response. *Health Res Policy Syst* 2024;**22**:14.
- IPCC. *Climate Change 2023: synthesis Report*. Core Writing Team. In: Lee H, Romero J (eds.), IPCC, 2023.
- Jiao N, Luo T, Chen Q et al. The microbial carbon pump and climate change. *Nat Rev Micro* 2024;**22**:408–19.
- Knowlton N, Grottoli AG, Kleypas J et al. *R e building Coral Reefs: A Decadal Grand Challenge* (International Coral Reef Society and Future Earth Coasts. 2021.
- Kokudo N, Sugiyama H. Call for international cooperation and collaboration to effectively tackle the COVID-19 pandemic. *Glob Health Med* 2020;**2**:60–2.
- Peixoto RS, Voolstra CR, Sweet M et al. Harnessing the microbiome to prevent global biodiversity loss. *Nat Microbiol* 2022;**7**:1726–35.
- Peixoto RS, Voolstra CR. The baseline is already shifted: marine microbiome restoration and rehabilitation as essential tools to mitigate ecosystem decline. *Front Mar Sci* 2023. <https://doi.org/10.3389/fmars.2023.1218531>
- Tiedje JM, Bruns MA, Casadevall A et al. Microbes and climate change: A research prospectus for the future. *mBio* 2022;**13**:e0080022.
- Xue J, Yu Y, Bai Y et al. Marine oil-degrading microorganisms and biodegradation process of petroleum hydrocarbon in marine environments: A review. *Curr Microbiol* 2015;**71**:220–8.
- Raquel Peixoto** 
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
International Coral Reef Society (ICRS), Tavernier, FL, USA
King Abdullah University of Science and Technology, Thuwal, Saudi Arabia
- Christian R. Voolstra**
International Coral Reef Society (ICRS), Tavernier, FL, USA
Department of Biology, University of Konstanz, Konstanz, Germany
- Lisa Y. Stein** 
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
University of Alberta, Edmonton, Alberta, Canada
- Philip Hugenoltz**
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
University of Queensland, Brisbane, Queensland, Australia
- Joana Falcao Salles**
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
University of Groningen, Groningen, the Netherlands
- Shady A. Amin** 
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
New York University Abu Dhabi, Abu Dhabi, United Arab Emirates
- Max Häggblom** 
Federation of European Microbiological Societies (FEMS), Cambridge, UK
Rutgers University, New Brunswick, NJ, USA
- Ann Gregory**
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
University of Calgary, Calgary, Alberta, Canada
- Thulani P. Makhalanyane** 
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
Stellenbosch University, Stellenbosch, South Africa
- Fengping Wang**
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
Shanghai Jiao Tong University, Shanghai, China
- Nadège Adoukè Agbodjato**
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
Université d'Abomey-Calavi UAC, Abomey Calavi, Benin
- Yinzhaoh Wang** 
International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
Shanghai Jiao Tong University, Shanghai, China
- Nianzhi Jiao**
Global Ocean Negative Carbon Emissions (ONCE) Program, Research Center for Ocean Negative Carbon Emissions, Fujian, China
Xiamen University, Fujian, China
- Jay T. Lennon**
American Society for Microbiology (ASM), Washington DC, USA
American Academy of Microbiology (AAM), Washington DC, USA
Indiana University, Bloomington, IN, USA
- Antonio Ventosa**
Federation of European Microbiological Societies (FEMS), Cambridge, UK
University of Sevilla, Seville, Spain

Patrik M. Bavoil 

Federation of European Microbiological Societies (FEMS),
Cambridge, UK

University of Maryland, College Park, MD, USA

Virginia Miller

American Society for Microbiology (ASM), Washington DC, USA

American Academy of Microbiology (AAM), Washington DC,
USA

University of North Carolina at Chapel Hill, Chapel Hill, NC,
USA

Jack A. Gilbert

American Society for Microbiology (ASM), Washington DC, USA

Applied Microbiology International (AMI), Cambridge, UK

University of California San Diego, La Jolla, CA, USA

Received 27 June 2024; revised 22 September 2024

This article has been co-published with permission in Sustainable Microbiology, The ISME Journal, FEMS Microbiology Ecology, Nature Microbiology, Nature Reviews Microbiology, Nature Reviews Earth and Environment, Nature Communications, Communications Biology, Communications Earth and Environment, npj Biodiversity, npj Biofilms and Microbiomes, npj Climate Action, and npj Sustainable Agriculture. All rights reserved. © The Author(s) 2024. Published by Oxford University Press on behalf of FEMS.